

Efficient Luminosity

High Bay Lighting

1HB37L Series (Anti-glare Lighting)



100
~
277V


277
~
480V

Applications


Swimming pool, Badminton stadium, Basketball gym, Table tennis hall and other indoor arena, as well as shopping malls which need high anti-glare locations.

- Efficiency of chips: 138-150 lm/w
- LENS: Optical grade PC, anti-UV oxidation.
- Beam Angle: Type V
- Housing: die casting aluminum housing with excellent heat dissipation, surface treated with powder coated finish for corrosion and static resistance.
- Input voltage: 100-277 VAC, 277~480VAC, 50/60 HZ
- LED module can be dismantled separately for maintenance.
- LED driver: constant current, efficiency is up to 92%, PF ≥ 0.95.
- IP class: IP 65

Dimension [Unit: Inch(mm)]



Distribution Curve Flux



Type V

Ordering Information

Example: -1HB37L-200-750-G-SR-5-1

Company code	Voltage	Type	Power	Ra	Colour Temp.	Colour Options	Mounting	Optic	Options
	1 100~277VAC	HB37L	200 200W (19100Lumens)	7	27	G Green (standard)	SR Steel Rope	5 Type V	1 0~10V dimming 2 Timing dimming 3 Occupancy sensor (dimming control/ on off control)
	2 200~240VAC		240 240W (24240Lumens)	8	30	B Black			
	3 100~120VAC		300 300W (27600Lumens)	9	40	C Coffee			
	4 277~480VAC		400 400W (34000Lumens)	90	50	S Silver			
	5 347~480VAC		500 500W (52500Lumens)		57				
					65				
					6500K				